




Domestic

2000S - 2000SXL



KS GROUP
STEAM CLEANERS DIVISION

2000S - 2000SXL

IPx4



2000S

2000SXL

Description

Steam cleaner with continuous flow

Steam cleaner with continuous flow

Colour	green/red	chrome
Detergent Tank capacity	--	--
Detergent tank - level alarm	--	--
Detergent injection quantity	--	--
Water injection quantity:		
- 100V	--	--
- 120V	--	--
- 230V	--	--
Pressure (bar) (100V-120V-230V)	4,7 - 4,7 - 5	4,7 - 4,7 - 5
Voltage (100V-120V-230V)	60Hz - 60Hz - 50Hz	60Hz - 60Hz - 50Hz
Total Power Consumption (W) (100V-120V-230V)	1200 - 1500 - 3000	1200 - 1500 - 3000/3400
Boiler Power Consumption (W) (100V-120V-230V)	1200 - 1500 - 2200	1200 - 1500 - 2200/2600
Iron Power Consumption (W) (100V-120V-230V)	-- -- 800	-- -- 800
Vac Motor Power Consumption (W) (100V-120V-230V)	--	--
Boiler material	Stainless Steel AISI 304	Stainless Steel AISI 304
Boiler volume (l)	2	2
Tank capacity (l)	1,3	1,3
Min. Waste Tank level	--	--
Waste tank capacity (l)	--	--
Vac Motor suction power (Kpa) (100V-120V-230V)	--	--
Steam production	continuous flow	continuous flow
Boiler Steam temperature (100V-120V-230V)	150°C - 150°C - 151°C	150°C - 150°C - 151°C
Water pump power (100V-120V-230V)	55 W - 41 W - 48 W	55 W - 41 W - 48 W
Water level alarm	visual and acoustic	visual and acoustic
Pressure alarm	visual	visual
Low tension voltage on handgrip	9 V	9 V
Heating time (minutes) (100V-120V-230V)	8/9 - 6 - 5	8/9 - 6 - 5
Power cable (m) (100V-120V-230V)	4 - 5 - 7	4 - 5 - 7
Steam regulation on steam hose	yes	yes
Dimensions (LxWXH)	D.320mm / H330mm	D.450mm / H.330mm
Net weight (kg)	6,50 Kg	7,70 Kg
Certification Reached (100V-120V-230V)	CE - CE, IPX4, ETL cUS - CE	CE - CE, IPX4 - CE
Certification on work	GS-Nemko	GS-Nemko
Warranty (year) (100V-120V-230V)	1 - 1 - 2	1 - 1 - 2



Steam cleaner with continuous flow is perfect for all types of spaces, including many types of business applications.

The availability of the trolley makes this system perfect for a variety of jobs.

Using steam is an effective and environmentally friendly method of cleaning hard surfaces.



Via Trieste, 5 - I-25030 Castelvati (Bs) Italy
Tel. +39 030 7080550 - Fax +39 030 718104
www.ksgsteamdivision.com info.steamdept@ksgroup.it



Standard ACCESSORIES



- 1 - Rectangular brush
- 2 - Triangular brush
- 3 - 25 cm window cleaner with spatula
- 4 - Black upholstery spatula
- 5 - Funnel
- 6 - 30 mm small brush with polyester bristles
- 7 - 38 mm small brush with polyester bristles
- 8 - Extension pipes
- 9 - Black nozzle
- 10 - 2,45 m steam hose
- 14 - Pad for triangular brush
- 16 - Drain opener
- 17 - Pad for rectangular brush
- 18 - Towel

Optional ACCESSORIES



- 11 - Plunger
- 12 - 60 mm brush with black polyester bristles
- 13 - 60 mm brush with red polyester bristles
- 19 - Extension
- 20 - Triangular brush with red polyester bristles
- 21 - Grey spatula for upholstery
- 22 - Bottle
- 23 - Steam iron
- 24 - Grey nozzle
- 25 - Iron-rest
- 26 - 38 mm small brush with brass bristles
- 27 - 38 mm small brush with steel bristles
- 28 - 30 mm small brush with brass bristles
- 29 - 30 mm small brush with steel bristles
- 30 - 38 mm small brush with polyester bristles
- 31 - 38 mm small brush with steel bristles
- 32 - 38 mm small brush with brass bristles
- 33 - 30 mm small brush with polyester bristles
- 34 - 30 mm small brush with steel bristles
- 35 - 30 mm small brush with brass bristles
- 37 - Rectangular brush with soft bristles
- 38 - Humidifier
- 39 - Perfumed oils
- 40 - 35 cm spatula for windows
- 41 - Rectangular brush with polyester bristles
- 42 - Rectangular brush with steel bristles
- 43 - Rectangular brush with brass bristles
- 44 - Aluminium nozzle
- 45 - Weed killer
- 46 - Nozzle with brass tip
- 47 - 40 cm rectangular brush
- 48 - 25 cm extension pipe
- 49 - 5 m steam hose
- 50 - Trolley
- 53 - Teflon iron shoe for Iron
- 55 - 39 cm floor mop
- 56 - 25 cm wall mop
- 58 - Microfiber cloth floor mop
- 59 - Microfiber cloth wall mop
- 60 - Floor mop kit
- 61 - Wall mop kit